



Street nameplate specification

(version 1; Aug 2014)

Norwich City Council has two sign types: Classic and Standard

Classic

In the city centre and some conservation areas the Classic sign design is required. These are traditionally made in cast iron but polycarbonate is also acceptable subject to approval of a test sample.

Main streets



Characteristics:

- Main streets - scalloped border
- Yards – non-scalloped black border.

Yard signs



For all classic signs

- Black text on white background
- Capitalised san serif font
- Embossed borders and text.

Standard

Used outside of the city centre and most areas not in conservation areas.



- Caxton Roman bold font
- 90mm capital letters
- Black letters on white background with black border
- Reverse mounted on Polycarbonate sheet
- 'No through Road' symbol is required for a cul-de-sac (diag. 816.1).

Post mounted

- Install street nameplate in rear of adopted footpath or verge.
- Set posts in ground to one third of post height.
- Posts secured by concrete foundations to C 8/10 conc to BS8500.

Wall Mounted signs

Polycarbonate plate fixed to black backboard and fixed to wall using 6-8no 50mm screws depending on length of plate.

[Click here](#) for more information and advice with regard to street naming and numbering.


Contact:

e: Highways@norwich.gov.uk

t: 0344 980 3333

Classic

Example of sign dimensions
(Text is black on white background)



Suppliers

G & G Road Traffic Signs

15 Foxholes Road

Leicester

LE3 1TH

t: 0116 254 4445

East Coast Casting Co Limited

Foundry Site

Norwich Road

Carbrooke

Watton

Norfolk IP25 6TL

t: 01953 881741

Standard

Product examples: (Caxton Roman bold font not shown)



Post mounted



Wall mounted

Supplier

Filcris Ltd

The Old Fire Station
Broadway, Bourn
Cambridge CB3 7TE

01954 718327

Caxton Roman Bold

